

KEL-DP multi-membrane cable entry plates, round

pluggable into metric cut-outs M16 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version of the KEL-DP fits perfectly into metric cut-outs M16 | M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54



IP55



RoHS compliant

IP64



IP65



Made in Germany



Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Snap-in

Advantages & Benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses

Product types & Sizes


KEL-DP 16|1 A gy round



Part No.	43600
EAN	4251269329791
Package quantity	10
For max. no. of cables	1
Max. cable diameter	9,2 mm
Color	gray (similar RAL 7035)
Height	12 mm


Mounting height	5 mm
External diameter	23 mm
Cut-out size, round	16 mm
Cut-out size, metric	M16
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	1 x 1 - 9.2 mm

KEL-DP 16|3 A gy round




Part No.	43601
EAN	4251269329807
Package quantity	10
For max. no. of cables	3
Max. cable diameter	5,2 mm
Color	gray (similar RAL 7035)
Height	12 mm

Mounting height	5 mm
External diameter	23 mm
Cut-out size, round	16 mm
Cut-out size, metric	M16
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	3 x 1 - 5.2 mm

KEL-DP 16|7 A gy round


Part No. **43602**
 EAN **4251269329814**
 Package quantity **10**
 For max. no. of cables **7**
 Max. cable diameter **3,2 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **23 mm**
 Cut-out size, round **16 mm**
 Cut-out size, metric **M16**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 3.2 mm**

KEL-DP 20|4 A gy round


Part No. **43572**
 EAN **4251269320477**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **5,2 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **27 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.2 mm**

KEL-DP 20|1 A gy round


Part No. **43571**
 EAN **4251269329784**
 Package quantity **10**
 For max. no. of cables **1**
 Max. cable diameter **14 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **27 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **1 x 1 - 14 mm**

KEL-DP 20|4-1 A gy round


Part No. **43575**
 EAN **4251269323911**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **8 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **27 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **2 x 1 - 8 mm**
2 x 1 - 4.5 mm

KEL-DP 20|5 A gy round


Part No. **43573**
 EAN **4251269320484**
 Package quantity **10**
 For max. no. of cables **5**
 Max. cable diameter **10,6 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **27 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **1 x 1 - 10.6 mm**
2 x 1 - 4.6 mm
2 x 1 - 3.6 mm

KEL-DP 20|9 A gy round


Part No. **43574**
 EAN **4251269320491**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **4,6 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **27 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **5 x 1 - 4.6 mm**
4 x 1 - 3.6 mm

KEL-DP 25|4 A gy round


Part No. **43533**
 EAN **4251269310027**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **8 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **32 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|4 B gy round


Part No. **50536**
 EAN **4251269333248**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **8 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **32 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|4 A bk round


Part No. **50533**
 EAN **4251269314803**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **8 mm**
 Color **black**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **32 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|4 B bk round


Part No. **43535**
 EAN **4251269324079**
 Package quantity **10**
 For max. no. of cables **4**
 Max. cable diameter **8 mm**
 Color **black**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **32 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|6 A gy round


Part No. **43531**
 EAN **4251269310003**
 Package quantity **10**
 For max. no. of cables **6**
 Max. cable diameter **9,4 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **32 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm


KEL-DP 25|6 A bk round

Part No. **50531**
 EAN **4251269314780**
 Package quantity **10**
 For max. no. of cables **6**
 Max. cable diameter **9,4 mm**
 Color **black**
 Height **12 mm**


Mounting height **5 mm**
 External diameter **32 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm

KEL-DP 25|7 A gy round


Part No.	43534	Mounting height	5 mm
EAN	4251269322563	External diameter	32 mm
Package quantity	10	Cut-out size, round	25 mm
For max. no. of cables	7	Cut-out size, metric	M25
Max. cable diameter	5,2 mm	For min. wall thickness	1,5 mm
Color	gray (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	7 x 1 - 5.2 mm

KEL-DP 32|7 A gy round


Part No.	43592	Mounting height	5 mm
EAN	4251269322488	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	7	Cut-out size, metric	M32
Max. cable diameter	8 mm	For min. wall thickness	1,5 mm
Color	gray (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	7 x 1 - 8 mm

KEL-DP 32|7 B gy round


Part No.	43596	Mounting height	5 mm
EAN	4251269322525	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	7	Cut-out size, metric	M32
Max. cable diameter	8 mm	For min. wall thickness	2,8 mm
Color	gray (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	7 x 1 - 8 mm

KEL-DP 32|10 A gy round


Part No.	43532	Mounting height	5 mm
EAN	4251269310010	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	10	Cut-out size, metric	M32
Max. cable diameter	9,4 mm	For min. wall thickness	1,5 mm
Color	gray (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	6 x 1 - 5.2 mm 2 x 1 - 6.4 mm 2 x 1 - 9.4 mm

KEL-DP 32|10 B gy round

Part No.	43560	Mounting height	5 mm
EAN	4251269310133	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	10	Cut-out size, metric	M32
Max. cable diameter	9,4 mm	For min. wall thickness	2,8 mm
Color	gray (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	6 x 1 - 5.2 mm 2 x 1 - 6.4 mm 2 x 1 - 9.4 mm

KEL-DP 32|10 A bk round

Part No.	50532	Mounting height	5 mm
EAN	4251269314797	External diameter	38 mm
Package quantity	10	Cut-out size, round	32 mm
For max. no. of cables	10	Cut-out size, metric	M32
Max. cable diameter	9,4 mm	For min. wall thickness	1,5 mm
Color	black	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	6 x 1 - 5.2 mm 2 x 1 - 6.4 mm 2 x 1 - 9.4 mm


KEL-DP 32|10 B bk round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

50560
4251269314889
10
10
9,4 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
2,8 mm
4 mm
6 x 1 - 5.2 mm
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm


KEL-DP 32|10-2 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

43593
4251269322495
10
10
6,4 mm
gray (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
1,5 mm
2,5 mm
10 x 1 - 6.4 mm


KEL-DP 32|10-2 B gy round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

43597
4251269322532
10
10
6,4 mm
gray (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
2,8 mm
4 mm
10 x 1 - 6.4 mm


KEL-DP 32|11 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

43594
4251269322501
10
11
8 mm
gray (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
1,5 mm
2,5 mm
2 x 1 - 8 mm
9 x 1 - 5.2 mm


KEL-DP 32|11 B gy round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

43598
4251269322549
10
11
8 mm
gray (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
2,8 mm
4 mm
2 x 1 - 8 mm
9 x 1 - 5.2 mm


KEL-DP 32|13 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

43595
4251269322518
10
13
5,2 mm
gray (similar RAL 7035)
12 mm


Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
38 mm
32 mm
M32
1,5 mm
2,5 mm
13 x 1 - 5.2 mm

**KEL-DP 32|13 B gy
round**


Part No. **43599**
 EAN **4251269322556**
 Package quantity **10**
 For max. no. of cables **13**
 Max. cable diameter **5,2 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **38 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **13 x 1 - 5.2 mm**

**KEL-DP 40|9 A gy
round**


Part No. **43536**
 EAN **4251269310034**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **11,3 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **50 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

**KEL-DP 40|9 B gy
round**


Part No. **43561**
 EAN **4251269310140**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **11,3 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **50 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

**KEL-DP 40|16 A gy
round**


Part No. **43537**
 EAN **4251269310041**
 Package quantity **10**
 For max. no. of cables **16**
 Max. cable diameter **11,3 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **50 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm

**KEL-DP 40|16 B gy
round**


Part No. **43563**
 EAN **4251269310164**
 Package quantity **10**
 For max. no. of cables **16**
 Max. cable diameter **11,3 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **50 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm

**KEL-DP 40|17 A gy
round**


Part No. **43538**
 EAN **4251269310058**
 Package quantity **10**
 For max. no. of cables **17**
 Max. cable diameter **7,2 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **50 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm

KEL-DP 40|17 B gy round


Part No. **43565**
 EAN **4251269310188**
 Package quantity **10**
 For max. no. of cables **17**
 Max. cable diameter **7,2 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **50 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm

KEL-DP 50|9 A gy round


Part No. **43554**
 EAN **4251269310102**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **18 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|9 B gy round


Part No. **43568**
 EAN **4251269310218**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **18 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|9 A bk round


Part No. **50554**
 EAN **4251269314858**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **18 mm**
 Color **black**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|9 B bk round


Part No. **50568**
 EAN **4251269314933**
 Package quantity **10**
 For max. no. of cables **9**
 Max. cable diameter **18 mm**
 Color **black**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|11 A gy round


Part No. **43555**
 EAN **4251269310119**
 Package quantity **10**
 For max. no. of cables **11**
 Max. cable diameter **22,5 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

**KEL-DP 50|11 B gy
round**


Part No. **43569**
 EAN **4251269310225**
 Package quantity **10**
 For max. no. of cables **11**
 Max. cable diameter **22,5 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

**KEL-DP 50|11 A bk
round**


Part No. **50555**
 EAN **4251269314865**
 Package quantity **10**
 For max. no. of cables **11**
 Max. cable diameter **22,5 mm**
 Color **black**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

**KEL-DP 50|11 B bk
round**


Part No. **50569**
 EAN **4251269314940**
 Package quantity **10**
 For max. no. of cables **11**
 Max. cable diameter **22,5 mm**
 Color **black**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

**KEL-DP 50|12 A gy
round**


Part No. **43551**
 EAN **4251269310072**
 Package quantity **10**
 For max. no. of cables **12**
 Max. cable diameter **11,2 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm

**KEL-DP 50|12 B gy
round**


Part No. **43562**
 EAN **4251269310157**
 Package quantity **10**
 For max. no. of cables **12**
 Max. cable diameter **11,2 mm**
 Color **gray (similar RAL 7035)**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm

**KEL-DP 50|12 A bk
round**

Part No. **50551**
 EAN **4251269314827**
 Package quantity **10**
 For max. no. of cables **12**
 Max. cable diameter **11,2 mm**
 Color **black**
 Height **12 mm**

Mounting height **5 mm**
 External diameter **60 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm


KEL-DP 50|12 B bk round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

50562
4251269314896
10
12
11,2 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
2,8 mm
4 mm
10 x 1 - 9.2 mm
2 x 1 - 11.2 mm


KEL-DP 50|16 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

43550
4251269310065
10
16
11,3 mm
gray (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
1,5 mm
2,5 mm
4 x 1 - 5.3 mm
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


KEL-DP 50|16 B gy round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

43564
4251269310171
10
16
11,3 mm
gray (similar RAL 7035)
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
2,8 mm
4 mm
4 x 1 - 5.3 mm
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


KEL-DP 50|16 A bk round

Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

50550
4251269314810
10
16
11,3 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
60 mm
50 mm
M50
1,5 mm
2,5 mm
4 x 1 - 5.3 mm
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

KEL-DP 50|16 B bk round


Part No.
EAN
Package quantity
For max. no. of cables
Max. cable diameter
Color
Height

50564
4251269314902
10
16
11,3 mm
black
12 mm

Mounting height
External diameter
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range


5 mm
60 mm
50 mm
M50
2,8 mm
4 mm
4 x 1 - 5.3 mm
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

**KEL-DP 50|18 A gy
round**




Part No.	43553	Mounting height	5 mm
EAN	4251269310096	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	18	Cut-out size, metric	M50
Max. cable diameter	12 mm	For min. wall thickness	1,5 mm
Color	gray (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	2 x 1 - 4 mm 2 x 1 - 6 mm 4 x 1 - 7.2 mm 5 x 1 - 9.4 mm 5 x 1 - 12 mm

**KEL-DP 50|18 B gy
round**




Part No.	43567	Mounting height	5 mm
EAN	4251269310201	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	18	Cut-out size, metric	M50
Max. cable diameter	12 mm	For min. wall thickness	2,8 mm
Color	gray (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	2 x 1 - 4 mm 2 x 1 - 6 mm 4 x 1 - 7.2 mm 5 x 1 - 9.4 mm 5 x 1 - 12 mm

**KEL-DP 50|18 A bk
round**




Part No.	50553	Mounting height	5 mm
EAN	4251269314841	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	18	Cut-out size, metric	M50
Max. cable diameter	12 mm	For min. wall thickness	1,5 mm
Color	black	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	2 x 1 - 4 mm 2 x 1 - 6 mm 4 x 1 - 7.2 mm 5 x 1 - 9.4 mm 5 x 1 - 12 mm

**KEL-DP 50|18 B bk
round**




Part No.	50567	Mounting height	5 mm
EAN	4251269314926	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	18	Cut-out size, metric	M50
Max. cable diameter	12 mm	For min. wall thickness	2,8 mm
Color	black	For max. wall thickness	4 mm
Height	12 mm	Clamping range	2 x 1 - 4 mm 2 x 1 - 6 mm 4 x 1 - 7.2 mm 5 x 1 - 9.4 mm 5 x 1 - 12 mm

**KEL-DP 50|20 A gy
round**




Part No.	43552	Mounting height	5 mm
EAN	4251269310089	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	20	Cut-out size, metric	M50
Max. cable diameter	9,3 mm	For min. wall thickness	1,5 mm
Color	gray (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	16 x 1 - 6.3 mm 4 x 1 - 9.3 mm

**KEL-DP 50|20 B gy
round**




Part No.	43566	Mounting height	5 mm
EAN	4251269310195	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	20	Cut-out size, metric	M50
Max. cable diameter	9,3 mm	For min. wall thickness	2,8 mm
Color	gray (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	16 x 1 - 6.3 mm 4 x 1 - 9.3 mm

**KEL-DP 50|20 A bk
round**




Part No.	50552	Mounting height	5 mm
EAN	4251269314834	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	20	Cut-out size, metric	M50
Max. cable diameter	9,3 mm	For min. wall thickness	1,5 mm
Color	black	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	16 x 1 - 6.3 mm 4 x 1 - 9.3 mm

**KEL-DP 50|20 B bk
round**




Part No.	50566	Mounting height	5 mm
EAN	4251269314919	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	20	Cut-out size, metric	M50
Max. cable diameter	9,3 mm	For min. wall thickness	2,8 mm
Color	black	For max. wall thickness	4 mm
Height	12 mm	Clamping range	16 x 1 - 6.3 mm 4 x 1 - 9.3 mm

**KEL-DP 50|35 A gy
round**




Part No.	43556	Mounting height	5 mm
EAN	4251269310126	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	35	Cut-out size, metric	M50
Max. cable diameter	5,2 mm	For min. wall thickness	1,5 mm
Color	gray (similar RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	35 x 1 - 5.2 mm

KEL-DP 50|35 B gy
round




Part No.	43570	Mounting height	5 mm
EAN	4251269310232	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	35	Cut-out size, metric	M50
Max. cable diameter	5,2 mm	For min. wall thickness	2,8 mm
Color	gray (similar RAL 7035)	For max. wall thickness	4 mm
Height	12 mm		

KEL-DP 50|35 A bk
round



Part No.	50556	Mounting height	5 mm
EAN	4251269314872	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	35	Cut-out size, metric	M50
Max. cable diameter	5,2 mm	For min. wall thickness	1,5 mm
Color	black	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	35 x 1 - 5.2 mm

KEL-DP 50|35 B bk
round



Part No.	50570	Mounting height	5 mm
EAN	4251269314957	External diameter	60 mm
Package quantity	10	Cut-out size, round	50 mm
For max. no. of cables	35	Cut-out size, metric	M50
Max. cable diameter	5,2 mm	For min. wall thickness	2,8 mm
Color	black	For max. wall thickness	4 mm
Height	12 mm	Clamping range	35 x 1 - 5.2 mm